



2024

PRIME PRO

Safety always comes first

www.petitemars.com

USAGE OF CAR SEAT

ECE R129

- 1 Child's height: 76 cm - 150 cm
- 2 Child's age: 15 months - 12 years
- 3 GROUP I/II/III

+ Size: 52 x 44 x 63 cm
Weight: 10,7 kg



COLOURS 2024

A wide range of colours.

ECE R129



CARAMEL BROWN



ABSOLUTE BLACK



MIDNIGHT GREY



BLACK AIR



GREY AIR

COLLECTION

INSTALLATION

Never use this child restraint system in seating positions where an active airbag is installed.

The car seat is always installed in front facing direction.

- 1 76 - 105 cm**
isofix + harness + top tether
- 2 100 - 150 cm**
isofix + vehicle 3 point seat belt

ECE R129



ADJUSTMENT

ECE R129

The car seat has adjustable headrest and recline adjustment to adapt to the needs of a growing child.

12 positions of headrest, 5 positions of seat inclination


- + *Harness storage (to store seat belts for later use)
- + *ventilation design (for better air flow)



AIR VERSION

AIR models have a special breathable fabric for better air circulation, your baby has a perfect feeling of comfort and sweats less while driving.

ECE R129



Air fabric
inside



Cleaning and maintenance

Cover can be removed and machine washable at 30°C.
*Wringing or ironing of the cover is forbidden (as the fabric may separate from the filling).
The plastic part of the seat can be cleaned with soapy water.*

PRIME PRO SALES ARGUMENTS

1 MANY YEARS
OF COMFORTABLE
SAFETY TRAVELING



2 HARNESS
SYSTEM FOR
SMALL KIDS

3 INCLINATION
FOR BETTER
SLEEP



REVERSAL PRO

Safe driving in reverse

www.petiteetmars.com

USAGE OF CAR SEAT

ECE R129

- 1 Child's height: 40 cm - 105 cm
- 2 Child's age: 0 months - 4 years
- 3 GROUP 0+/I

+ Size: 67,5 x 44 x 61,5 cm
Weight: 12,3 kg



GE

COLOURS 2024

A wide range of colours.

ECE R129



CARAMEL BROWN



ABSOLUTE BLACK



MIDNIGHT GREY



BLACK AIR



GREY AIR

COLLECTION

INSTALLATION

ECE R129

Never use this child restraint system in seating positions where an active airbag is installed.

The car seat swivels 360° and can be used in both forward and reverse directions.

- 1 40 - 105 cm**
rear facing direction
isofix + support leg + harness
- 2 76 - 105 cm**
front facing direction
isofix + support leg + harness

If child's height is 75-87 cm,
install the inner cushion on
the child car seat

If your child's height is less
than 75 cm, install an inner
liner + extra lining + head
cushion

- + FITWIZ® SYSTEM**
The 5 points harness system consist
of two shoulder straps, two waist
straps, and one crotch strap. The
5-point harness secures the child
firmly in the car seat, preventing
ejection and ensuring that the child's
body is restrained within the seat



ADJUSTMENT

ECE R129

The car seat has adjustable headrest and recline adjustment to adapt to the needs of a growing child.

7 positions of headrest, 5 positions of seat inclination


+ *Side protection is specialized feature designed to enhance the safety of a child during a side-impact collision. In the event of a side collision, the side protection system is designed to absorb and dissipate the energy generated by the impact, reducing the force transmitted to the child.



AIR VERSION

AIR models have a special breathable fabric for better air circulation, your baby has a perfect feeling of comfort and sweats less while driving.

ECE R129



Air fabric
inside



Cleaning and maintenance

Cover can be removed and machine washable at 30°C.
*Wringing or ironing of the cover is forbidden (as the fabric may separate from the filling).
The plastic part of the seat can be cleaned with soapy water.*

REVERSAL PRO SALES ARGUMENTS

ECE R129

1 360° FOR EASY
SEATING AND
UNSEATING OF
THE CHILD

2 SAFE REAR
FACING
TRAVELING
UP TO 105 CM

3 SOLID
INSTALLATION
WITH THE
SUPPORT LEG





FLEX PRO

Incredibly flexible car seat

www.petiteetmars.com

USAGE OF CAR SEAT

ECE R129

1 Child's height: 100 cm - 150 cm

2 Child's age: 3 - 12 years

3 GROUP II/III

+ Size: 63 x 44 x 43 cm
Weight: 6,3 kg



COLOURS 2024

A wide range of colours.

ECE R129



CARAMEL BROWN



ABSOLUTE BLACK



BLACK AIR



GREY AIR

INSTALLATION

Never use this child restraint system in seating positions where an active airbag is installed.

The car seat is always installed in the face forward direction.

- 1 100 - 150 cm**
front facing direction
isofix + 3-point vehicle belt
- 2 100 - 150 cm**
front facing direction
3-point vehicle belt, without isofix

ECE R129



ADJUSTMENT

ECE R129

The car seat has adjustable headrest and recline adjustment to adapt to the needs of a growing child.

8 positions of headrest, + seat inclination



FOLDABLE BODY

ECE R129


The car seat has a unique feature and that is its foldable body. It folds completely and saves space. In addition, it is equipped with a handle for easy carrying. When folded, it can be easily transported in the trunk of the car or stored in the house or garage.



AIR VERSION

AIR models have a special breathable fabric for better air circulation, your baby has a perfect feeling of comfort and sweats less while driving.

ECE R129



Cleaning and maintenance

Cover can be removed and machine washable at 30°C. Wringing or ironing of the cover is forbidden (as the fabric may separate from the filling). The plastic part of the seat can be cleaned with soapy water.

FLEX PRO **SALES** **ARGUMENTS**

ECE R129

1 EASY CARRYING
AND SWITCHING
FROM CAR TO CAR



2 BOTH ISOFIX
AND NON
ISOFIX
USAGE

3 INCREASING
THE WIDTH
OF THE SEAT



ELITE FIX PRO

Maximum safety and flexibility

www.petiteetmars.com

USAGE OF CAR SEAT

ECE R129

1 Child's height: 100 cm - 150 cm

2 Child's age: 3 - 12 years

3 GROUP II/III

+ Size: 65 x 44 x 47 cm
Weight: 6,8 kg



COLOURS 2024

A wide range of colours.

ECE R129



CARAMEL BROWN



ABSOLUTE BLACK



BLACK AIR



GREY AIR

INSTALLATION

Never use this child restraint system in seating positions where an active airbag is installed.

The car seat is always installed in the face forward direction.

- 1 100 - 150 cm**
front facing direction
isofix + 3-point vehicle belt
- 2 100 - 150 cm**
front facing direction
3-point vehicle belt, without isofix

ECE R129



ADJUSTMENT

ECE R129

The car seat has adjustable headrest and recline adjustment to adapt to the needs of a growing child.

8 positions of headrest, 4 positions seat inclination



EXTENDABLE SIDE WING

ECE R129

The side wings of the car seat can be adjusted as required. Both can be extended at the same time, but also one or the other side can be extended separately.

*With the side wings folded in,
the width of the car seat is 46 cm.*

*With the side wings extended,
the width of the car seat is 53 cm.*

*With one of the side wings extended,
the width of the car seat is 49.5 cm.*


EXTENDABLE



AIR VERSION

AIR models have a special breathable fabric for better air circulation, your baby has a perfect feeling of comfort and sweats less while driving.

ECE R129



Air fabric
inside



Cleaning and maintenance

Cover can be removed and machine washable at 30°C.
*Wringing or ironing of the cover is forbidden (as the fabric may separate from the filling).
The plastic part of the seat can be cleaned with soapy water.*

ELITE FIX PRO SALES ARGUMENTS

ECE R129

1 SIDE WINGS MIGHT
BE EXTENDED
SEPARATELY EACH



2 COMFORTABLE
ARM REST

3 BOTH
ISOFIX AND
NON-ISOFIX
USAGE



TWISTGUARD PRO

Partner for the entire childhood

www.petiteetmars.com

USAGE OF CAR SEAT

ECE R129

- 1 Child's height: 40 cm - 150 cm
- 2 Child's age: 0 months - 12 years
- 3 GROUP 0+/I/II/III

+ Size: 44 x 53 x 61 cm
Weight: 14,5 kg



COLOURS 2024

A wide range of colours.

ECE R129



CARAMEL BROWN



ABSOLUTE BLACK



BLACK AIR



GREY AIR

INSTALLATION

ECE R129

Never use this child restraint system in seating positions where an active airbag is installed.

A 360° swivel car seat that installs in both front and rear-facing directions.

- 1 40 - 105 cm**
rear facing direction
isofix + support leg + harness
- 2 76 - 105 cm**
front facing direction
isofix + support leg + harness
- 3 100 - 150 cm**
front facing direction
isofix + vehicle 3 point belt

+ FITWIZ® SYSTEM
The 5 points harness system consist of two shoulder straps, two waist straps, and one crotch strap. The 5-point harness secures the child firmly in the car seat, preventing ejection and ensuring that the child's body is restrained within the seat



ADJUSTMENT

ECE R129

The car seat has adjustable headrest and recline adjustment to adapt to the needs of a growing child.


- 9 positions of headrest, 5 positions of seat inclination
- + *Side protection is specialized feature designed to enhance the safety of a child during a side-impact collision. In the event of a side collision, the side protection system is designed to absorb and dissipate the energy generated by the impact, reducing the force transmitted to the child.



AIR VERSION

AIR models have a special breathable fabric for better air circulation, your baby has a perfect feeling of comfort and sweats less while driving.

ECE R129



Air fabric
inside



Cleaning and maintenance

Cover can be removed and machine washable at 30°C.

Wringing or ironing of the cover is forbidden (as the fabric may separate from the filling).

The plastic part of the seat can be cleaned with soapy water.

TWISTGUARD PRO

SALES

ARGUMENTS

ECE R129

**1 ONE CAR SEAT
FOR THE WHOLE
TIME**



**2 COMFORTABLE
INCLINATION
FOR SMALL KIDS**

**3 ISOFIX SYSTEM
FROM BIRTH
TO 12 YEARS**



CORE PRO

Protects baby from birth

www.petiteetmars.com

USAGE OF CAR SEAT

ECE R129

- 1 Child's height: 40 cm - 87 cm
- 2 Child's age: 0 - 15 m
- 3 GROUP 0+

- + Size of the car seat: 72,4 x 44 x 38,5 cm
Size of the base: 63,8 x 37 x 20 cm
Weight of the car seat: 4,5 kg
Weight of the base: 4,8 kg



EASY TO CHANGE

INSTALLATION

Never use this child restraint system in seating positions where an active airbag is installed.

- 1 40 - 87 cm**
rear facing direction
isofix + support leg + 5-point harness system
Isofix base must be purchased separately!
- 2 40 - 87 cm**
rear facing direction
3-point vehicle belt
+ 5-point harness system
- +** The Core Pro car seat is compatible
with Maxi-cosi adapters

ECE R129



Please use the baby liner
attached to this infant
carrier when your babys
height is less than 75 cm


The support leg
ensures better
securing of the car
seat in the car

ADJUSTMENT

ECE R129

The car seat has adjustable headrest and handle adjustment to adapt to the needs of a growing child.

5 positions of headrest, 4 positions of handle



Cleaning and maintenance

Cover can be removed and machine washable at 30°C. Wringing or ironing of the cover is forbidden (as the fabric may separate from the filling). The plastic part of the seat can be cleaned with soapy water.



Aluminium support leg (Isofix base must be purchased separately!)



Stainless steel isofix (Isofix base must be purchased separately!)

CORE PRO SALES ARGUMENTS

ECE R129

1 THE MOST SAFETY
RIDE FOR THE
NEWBORN



2 USAGE WITH
OR WITHOUT
THE ISOFIX BASE

3 COMPATIBLE
WITH ICON
STROLLER



2024 OPTIMUS PRO

Convenient alternative to a car seat

www.petitemars.com

USAGE OF BOOSTER

ECE R129

- 1 Child's height: 125 cm - 150 cm
- 2 Child's age: 6 - 12 years
- 3 GROUP III

+ Size: 22 x 37 x 44 cm
Weight: 4,5 kg



COLOURS 2024

A wide range of colours.

ECE R129



CARAMEL BROWN



GREY AIR



BLACK AIR

INSTALLATION

ECE R129

Never use this child restraint system in seating positions where an active airbag is installed.

The car seat is always installed in the face forward direction.

- 1 100 - 150 cm**
front facing direction
isofix + 3-point vehicle belt
- 2 100 - 150 cm**
front facing direction
3-point vehicle belt, without isofix
- +** A seat belt hook is also included
to better adjust the seat belt to the child.



AIR VERSION

ECE R129

AIR models have a special breathable fabric for better air circulation, your baby has a perfect feeling of comfort and sweats less while driving.



Cleaning and maintenance

Cover can be removed and machine washable at 30°C.

Wringing or ironing of the cover is forbidden (as the fabric may separate from the filling).

The plastic part of the seat can be cleaned with soapy water.

OPTIMUS PRO SALES ARGUMENTS

ECE R129

1 SUPER
COMFORTABLE
BOOSTER



2 TEENAGE
CHOOSE

3 WITH OR
WITHOUT
ISOFIX USAGE

	TWISTGUARD PRO	REVERSAL PRO	PRIME PRO	FLEX PRO	ELITE PRO	CORE PRO	OPTIMUS PRO
Dimensions cm	44 x 53 x 61	67,5 x 44 x 61,5	52 x 44 x 63	54 x 44 x 61	55 x 44 x 53	72,4 x 44 x 38,5	22 x 37 x 44
Packaging in cm	53 x 46 x 63,5	69 x 45 x 57	56 x 45 x 64	48 x 47 x 29	45 x 45 x 66	72 x 45 x 34	44,5 x 41 x 25
Weight netto kg	14,5	12,3	10,7	6,15	6,8	4,5	3
Weight brutto kg	16	14,5	12,5	7	8,3	5,5	3,5
For child (cm)	40 - 150	40 - 105	76 - 150	100 - 150	100 - 150	40 - 87	125 - 150
For child (kg)	0 - 36	0 - 18	9 - 36	15 - 36	15 - 36	0 - 13	22 - 36
For child (age)	0 - 12 y	0 - 4 y	15 m - 12 y	3 - 12 y	3 - 12 y	0 - 15 m	6 - 12 y
Group	0+ / I / II / III	0+ / I	I / II / III	II / III	II / III	0+	III
Removable cover	●	●	●	●	●	●	●
Liner	●	●	●			●	
5point safety belt	●	●	●			●	
360° rotation	●	●					
Rear facing	●	●				●	
Front facing	●	●	●	●	●		●
Isofix	●	●	●	●	●	base needed	●
Side protection	●	●					
Adjustable headrest (positions)	9	7	12	8	8	5	
Inclination adjustment (positions)	5	4	5		4		
Harness storage	●	●	●				
Support leg	●	●				base needed	
Air version	●	●	●	●	●		●
Extendable wings				●	●		
Standard	ECE R129						

www.petiteetmars.com